



**Harbor Gateway Center  
Los Angeles, California  
Dated: July 25, 1997  
Flash Report No. 0002  
Mario Stavale  
562/627-3014 Phone  
562/627-3109 Fax**

# **FLASH REPORT**

---

- Motherway/Svorinich meeting to be set within next 2-3 weeks.
- Demolition and asbestos abatement in Phase 1A started 7-21-97.
- Excavation of diesel impacted soils along Normandie side of retail project has been initiated. We expect to remove approximately 45,000 cubic yards of soils with as much as 5,000-7,000 yards shipped to a hazardous waste disposal facility. Project being conducted under the supervision of the Regional Water Quality Control Board.
- Lockheed Martin/Fremont negotiations continue: traffic improvements, environmental, railroad, and resolution of community issues.
- Hosting Chamber of Commerce meeting at Building 18, Torrance on 7-29-97.
- Executed Memorandum of Understanding received from Union Pacific. Planning Associates scheduled to meet with DOT Director to resolve issues concerning submittal of PUC application.
- Employee Community Fund has approved \$5K to grant to the South Bay Gang Alternatives Program ("GAP").

MD REALTY CO. 310 6273109

(AUTO) .....

THE FOLLOWING FILE(S) ERASED

FILE	FILE TYPE	OPTION	TEL NO.	PAGE	RESULT
033	MEMORY TX		812134668653	02/02	OK

.....  
ERRORS

1) HANG UP OR LINE FAIL      2) BUSY      3) NO ANSWER      4) NO FACSIMILE CONNECTION

MD REALTY CO. 310 6273109

(AUTO)

## THE FOLLOWING FILE(S) ERASED

FILE	FILE TYPE	OPTION	TEL NO.	PAGE	RESULT
032	MEMORY TX		812138918763	02/02	OK

## ERRORS

1) HANG UP OR LINE FAIL      2) BUSY      3) NO ANSWER      4) NO FACSIMILE CONNECTION

---

# FAX TRANSMITTAL SHEET

**To: Cindy Starrett/Latham & Watkins (213) 891-8763**  
**Howard Sunkin/Cerrell (213) 466-8653**

**From: Mr. S. Mario Stavale**  
**Company: McDonnell Douglas Realty Company**  
**4060 Lakewood Blvd., 6th Floor**  
**Long Beach, California 90808-1700**  
**Phone: 562-627-3014**  
**Fax: 562-627-3109**

**Date: July 25, 1997**

**No. of Sheets** (including cover) **Two (2)**

**Re: Flash Report for Harbor Gateway Center**

**If you experience any difficulty receiving this fax, please contact Kim at (562) 627-3075.**

**Thank you.**